

Interconnector - DENA ECO MUX

Front (BOSCH)				IC02A 16W GY	Engine (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
BF00D	8W BK	E3	C341	1	C341	1	4W BR	8007
ICN	18W WI	9				4	4W BR	8007
7045	2W WI	1				1	3W BK	1203
8208	5W WI	3				K4	48W BK	1320A
C001	16W BK	1						
BF00D	8W BK	E4	1086	2	1086	1	1W BK	1010A
IC23C	36W BK	7	121	3	121	B5	10W BK	1304
FCMA	15W BK	7A	410	4	410	4	6W GY	IC023
IC20A	16W BK	1	403	5	403	1	2W GY	4030
RB003	10W GY	3A	7301A	6	7301	J2	48W BR	1320B
RB003	10W GY	3B	7307A	7	7307	D1	48W BK	1320A
						A1	32W GY	1320C
RB004	10W WI	3B	7303A	8	7303	C1	48W BK	1320A
FCMA	15W BK	6A	220	9	220	2	2W GY	2200
FCMB	15W WI	9A	1070	10	1070	1	2W BK	1020A
FCMA	15W BK	3B	8079	11	8079	1	2W WI	8020
IC20A	16W BK	16	8054	12				
C001	16W BK	9	104	13	104	E1	48W BK	1320A
						2	2W BK	1020A
8208	5W WI	2	8221	14	8221	K2	48W BR	1320B
ICN	18W WI	13	820	15	820	H4	48W BR	1320B
C001	16W BK	7	1411	16	141	A4	48W BK	1320A
						F4	48W BK	1320A
Front (Easy U)				IC02A 16W BK	Engine (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
IC20A	16W BK	15	7304	1	7301	F3	64W BK	1320B
IC20A	16W BK	8	7305	2	7303	L2	64W BK	1320B
2100	4W WI	2	215	3	215	C3	32W BK	1320A
2100	4W WI	4	218	4	218	E2	32W BK	1320A
BF00D	8W BK	E3	C341	5	C341	A2	64W BK	1320B
8208	8W BK	4				1	4W BR	8007
C001	16W BK	1				4	4W BR	8007
ICN	18W WI	9						
2100	4W WI	3						
IC23C	36W BK	7	121	6	121	B5	10W BK	1304
RB003	10W GY	2A	809	7	809	L3	64W BK	1320B
RB003	10W GY	2B	8091	8	8091	J3	64W BK	1320B
IC01	6W GY	4	1510	9	1510	G1	64W BK	1320B
RB003	10W GY	5B						
RB004	10W WI	4B						
				10				
FCM	15W WI	9A	1070	11	1070	1	2W BK	1020A
FCM	15W BK	7A	410	12	410	4	6W GY	IC023
FCM	15W WI	2A	401	13	401	3	3W GY	1220
IC20A	16W BK	1	403	14	403	1	2W GY	4030
FCM	15W BK	3B	8079	15	8079	1	2W WI	8020
				16				

Interconnector -DENA ECO MUX

Front (BOSCH)				IC02B 16W BK	Engine (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
1261	6W BK	1	1375	1	1375	F4	48W BR	1320B
1261	6W BK	2	1376	2	1376	J3	48W BK	1320A
1261	6W BK	3	1374	3	1374	J4	48W BK	1320A
1261	6W BK	4	1379	4	1379	J2	48W BK	1320A
1261	6W BK	5	1380	5	1380	A4	48W BR	1320B
1261	6W BK	6	1378	6	1378	J1	48W BK	1320A
7045	2W WI	2	7045	7	7045	H1	48W BK	1320A
IC23C	36W BK	11	9020C	8	9020C	E3	48W BK	1320A
C001	16W BK	6						
7020	38W BK	14						
2100	4W WI	2	215	9	215	B3	32W GY	1320C
2100	4W WI	4	218	10	218	G4	48W BK	1320A
IC24A	13W BK	7A	722A	11	722A	K1	48W BK	1320A
IC24A	13W BK	7B	722B	12	722B	C4	48W BR	1320B
						1	4W BK	1312
FCMB	15W WI	2A	401	13	401	3	3W GY	1220
IC23C	36W BK	13	430	14	430	E1	48W BR	1320B
IC23C	36W BK	14	431	15	431	D2	48W BR	1320B
IC23C	36W BK	12	9019C	16	9019C	E4	48W BK	1320A
C001	16W BK	14						
7020	38W BK	2						
Front (Easy U)				IC02B 16W GY	Engine (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
FCM	15W BK		220	1	220	2	2W GY	2200
				2				
BF00D	8W BK	E4	1086	3	1086	1	1W	1010A
C001	16W BK	7	1411	4	1411	A4	32W BK	1320A
IC23C	36W BK	12	9019C	5	9019C	B1	32W BK	1320A
8208	8W BK	6						
C001	16W BK	14						
7020	38W BK	2						
IC23C	36W BK	11	9020C	6	9020C	A1	32W BK	1320A
8208	8W BK	5						
C001	16W BK	6						
7020	38W BK	14						
IC23C	36W BK	13	430	7	430	B4	64W BK	1320B
IC23C	36W BK	14	431	8	431	H2	64W BK	1320B
7045	2W BR	1	7045	9	7045	A3	32W BK	1320A
1261	6W BK	5	1380	10	1380	D2	64W BK	1320B
1261	6W BK	4	1379	11	1379	M1	64W BK	1320B
1261	6W BK	6	1378	12	1378	D3	64W BK	1320B
1261	6W BK	2	1376	13	1376	C2	64W BK	1320B
1261	6W BK	1	1375	14	1375	H1	64W BK	1320B
1261	6W BK	3	1374	15	1374	B1	64W BK	1320B
7020	38W BK	17	1628	16	1624	D1	64W BK	1320B

Interconnector -DENA ECO MUX

Front Panel (BOSCH)				IC01B 6W BK	Engine (BOSCH)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
1500B	5W BK	2	1500	1	1500	A5	10W BK	1304			
						2	2W BU	7113			
						3	6W BK	1350			
						1	4W GN	1351			
						M2	48W BK	1320A			
						1	2W BK	1243			
						1	2W BK	1215			
						3	3W BK	1115			
						3	6W GY	IC023			
						4	6W BK	IC024			
1500C	5W BK	4	1510	2	1510	C1	32W GY	1320C			
1510B	2W BK	1									
1500B	5W BK	5									
1500B	5W BK	1	8091	3	8091	G1	48W BK	1320A			
1500A	5W BK	1	809	4	809	B4	48W BK	1320A			
				5							
				6							
Injection				IC023 6W GY	Engine (BOSCH)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
1331P	2W BK	2	1331	1	1331	L4	48W BR	1320B			
1332P	2W BK	2	1332	2	1332	k4	48W BR	1320B			
1331P	2W BK	1	1200	3	1300	A5	10W BK	1304			
									2	2W BU	7113
									3	6W BK	1350
									1	4W GN	1351
1332P	2W BK	1							M2	48W BK	1320A
									1	2W BK	1243
1333P	2W BK	1							1	2W BK	1215
									3	3W BK	1115
1334P	2W BK	1				1	6W BK	IC01B			
						4	6W BK	IC024			
4110	1w	1	410	4	410	4	16W GY	IC02A			
133P	2W BK	2	1333	5	1333	J4	48W BR	1320B			
1334P	2W BK	2	1334	6	1334	M3	48W BR	1320B			
Injection				IC023 6W GY	Engine (Easy U)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
1331	2W BK	2	1331	1	1331	L4	64W BK	1320B			
1332	2W BK	2	1332	2	1332	K4	64W BK	1320B			
1331	2W BK	1	1200	3	1200A	A5	10W BK	1304			
									3	4W GY	1350A
									3	4W BK	1350B
1332	2W BK	1							1	2W BK	1243
									2	2W BR	1215
1333	2W BK	1							3	3W BK	1115
									4	6W BK	IC024
1334	2W BK	1									
4110	1w	1	410	4	410	12	16W BK	IC02A			
1333	2W BK	2	1333	5	1333	M4	64W BK	1320B			
1334	2W BK	2	1334	6	1334	M3	64W BK	1320B			

Interconnector - DENA ECO MUX

coil				IC024 6W BK	Engine (BOSCH)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
1131	3W BK	1	1131	1	1131	H2	32W GY	1320C			
1133	3W BK	1	1133	2	1133	G2	32W GY	1320C			
1131	3W BK	3	E44	3	E44	2	2W WI	8020			
1132	3W BK	3				E040					
1133	3W BK	3				1	2W GY	2200			
1134	3W BK	3				1	2W GY	4030			
1131	3W BK	2				A5	10W BK	1304			
1132	3W BK	2	1220	4	1127	2	2W BU	7113			
						3	6W BK	1350			
						1	4W GN	1351			
M2	48W BK	1320A									
1133	3W BK	2				1	2W BK	1243			
1134	3W BK	2				1	2W BK	1215			
						3	3W BK	1115			
						3	6W GY	IC023			
1132	3W BK	1				1132	5	1132	H3	32W GY	1320C
1134	3W BK	1				1134	6	1134	H1	32W GY	1320C
coil				IC024 6W BK	Engine (Easy U)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
1131	3W BK	1	1131	1	1131	H4	32W BK	1320A			
1133	3W BK	1	1133	2	1133	H1	32W BK	1320A			
1131	3W BK	3	E44	3	E44	2	2W WI	8020			
1132	3W BK	3				E040					
						2	2W BU	7113			
						2	2W GY	4030			
1133	3W BK	3				D1131					
			D1132								
			D1133								
			D1134								
1134	3W BK	3	P1	64W BK	1320B						
			P2	64W BK	1320B						
			G4	32W BK	1320A						
			1	2W GY	2200						
1131	3W BK	2	1220	4	1220	A5	10W BK	1304			
1132	3W BK	2				3	4W GY	1350A			
						3	4W BK	1350B			
						1	2W BK	1243			
1133	3W BK	2				2	2W BR	1215			
1134	3W BK	2				3	3W BK	1115			
						3	6W GY	IC023			
1132	3W BK	1	1132	5	1132	H2	32W BK	1320A			
1134	3W BK	1	1134	6	1134	H3	32W BK	1320A			

Interconnector - DENA ECO MUX

Rear				IC23C 36W BK	Front (BOSCH)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
BF00A	10W BK	S1	AA01	1	AA01	1	2W GY	SW00B			
BF00A	10W BK	S3	CC4	2	CC4	S2	8W BK	BF00D			
						S3	8W BK	BF00D			
						2	2W GY	SW00B			
7015	2W BK	2	703	3	703	32	38W BK	7020			
7015	2W BK	1	7031	4	7031	19	38W BK	7020			
7010	2W BK	2	702	5	702	20	38W BK	7020			
7010	2W BK	1	7021	6	7021	33	38W BK	7020			
4310	6W BK	3	121	7	121	3	16W GY	IC02A			
BCMB	15W WI	A7	V275	8	V275	5	6W BK	2610			
IC23A	16W BK	3				5	6W BK	2615			
IC22B	16W GY	14				3	3W GY	6610			
3053	1W BK	1				3	3W GY	6615			
IC33	18W WI	1				3A	13W BK	IC24A			
2635	6W BK	6									
2630	6W BK	6									
IC32	18W WI	1									
IC60	10W BK	2									
BCMB	15W WI	A8									
IC22B	16W GY	16	2333B	9	2331	6	6W BK	2610			
2630	6W BK	1	2343B	10	2341	6	6W BK	2615			
BCMB	15W WI	A9				2343A	1B	13W GY	IC24B		
2635	6W BK	1	9020	11	9020	8	16W BK	IC02B			
BCMA	40W BK	21				9020	11	9020	6	16W BK	C001
									14	38W BK	7020
									16	16W BK	IC02B
BCMA	40W BK	22	9019	12	9019	14	16W BK	C001			
						2	38W BK	7020			
						14	16W BK	IC02B			
4310	6W BK	1	430	13	430	14	16W BK	IC02B			
4310	6W BK	6	431	14	431	15	16W BK	IC02B			
				15							
BCMB	15W WI	B3	6201	16	6201	4B	13W BK	IC24A			
6265	2W WI	2									
IC33	18W WI	3									
IC32	18W WI	3									
BCMB	15W WI	B2	6211	17	6211	1B	13W BK	IC24A			
6265	2W WI	1									
IC33	18W WI	5									
IC32	18W WI	5									
IC22B	16W GY	4	210A	18	2103A	16	38W BK	7020			
BCMA	40W BK	12				2	4W WI	2100			
2110	2W WI	2				6252	19	6252	6B	13W BK	IC24A
BCMA	40W BK	8							2B	13W BK	IC24A
BCMA	40W BK	10	3052	20	3052	V304	3	4W BK	3010		
BCMB	15W WI	A5	3045	21	V304		4	4W BK	3010		
IC22B	16W GY	1					3B	13W GY	IC24A		
IC33	18W WI	2					1A	10W GY	RB003		
IC32	18W WI	2					1B	10W GY	RB003		
3105A	1W BK	1					5A	10W GY	RB003		
IC22B	16W GY	9					5B	10W GY	RB003		
3020	4W BK	3									
IC220	8W WI	4									

Interconnector - DENA ECO MUX

BCMA	40W BK	16	8605	22	8605	3	4W BR	8605			
BF00C	8W BK	E3	B30	23	B30	1B	15W BK	BCMD			
BF00C	8W BK	S1	B09	24	BBCD	BB00A					
						S1	8W BK	BF001			
						S2	8W BK	BF001			
						S3	8W BK	BF001			
S4	8W BK	BF001									
BF00C	8W BK	S2				B03	25	BO3	S1	8W WI	BF002
									S2	8W WI	BF002
									S3	8W WI	BF002
			S4	8W WI	BF002						
			S1	8W BK	BF003						
S2	8W BK	BF003									
S3	8W BK	BF003									
BF00B	8W WI	S4	B03	25	BO3	E2	8W BK	BF001			
BF00C	8W BK	S3									
BF00C	8W BK	S4									
RB00A	10W BK	B2	6217A	26	6217	3	18W WI	BCMC			
BCMA	40W BK	39	234	27	234	2A	10W BK	0002			
BCMA	40W BK	40	233	28	233	4A	10W BK	0002			
BCMA	40W BK	26	505	29	505	1B	11W GY	0005			
BCMA	40W BK	27	511	30	511	2B	11W GY	0005			
IC22B	16W GY	3	813	31	814	2B	13W GY	IC24B			
RB00B	10W WI	B5									
8120A	1W BK	1									
BCMA	40W BK	24	253	32	253	2A	10W BK	RB001			
BF00A	8W BK	E1	A243	33	A243	14	18W WI	ICN			
RB00B	8W WI	A1				6B	15W WI	FCMB			
IC23A	16W BK	1				1	2W WI	3060			
IC22B	16W GY	2				1	2W GY	3065			
RB00B	8W WI	B1				1	1W RD	8406			
BCMA	40W BK	2									
BCMB	15W WI	A1				300	34	300	1	4W BK	3010
3020	4W BK	1	302								
BCMA	40W BK	6	8601	35	8601	1	2W BK	8611			
BF00B	8W WI	S1	B04	36	B04	E1	8W BK	BF001			
BF00B	8W WI	S2									
BF00B	8W WI	S3									

Interconnector - DENA ECO MUX

Rear				IC23C 36W BK	Front (Easy U)						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
BF00A	10W BK	S1	AA01	1	AA01	1	2W GY	SW00B			
BF00A	10W BK	S3	CC4	2	CC4	S2	8W BK	BF00D			
						S3	8W BK	BF00D			
						1B	10W GY	RB003			
						2	2W GY	SW00B			
7015	2W BK	2	703	3	703	32	38W BK	7020			
7015	2W BK	1	7031	4	7031	19	38W BK	7020			
7010	2W BK	2	702	5	702	20	38W BK	7020			
7010	2W BK	1	7021	6	7021	33	38W BK	7020			
4310	6W BK	3	121	7	121	6	16W BK	IC02A			
BCMB	15W WI	A7	V275	8	V275	5	6W BK	2610			
IC23A	16W BK	3				5	6W BK	2615			
IC22B	16W GY	14				3	3W GY	6610			
3053	1W BK	1				3	3W GY	6615			
IC33	18W WI	1				3A	13W BK	IC24A			
2635	6W BK	6									
2630	6W BK	6									
IC32	18W WI	1									
IC60	10W BK	2									
BCMB	15W WI	A8									
IC22B	16W GY	16	2333B	9	2331	6	6W BK	2610			
2630	6W BK	1	2343B	10	2341	6	6W BK	2615			
BCMB	15W WI	A9				2343A	1B	13W GY	IC24B		
2635	6W BK	1	9020	11	9020	6	16W GY	IC02B			
BCMA	40W BK	21				9020	11	9020	5	8W BK	8208
									6	16W BK	C001
									14	38W BK	7020
			5	16W GY	IC02B						
BCMA	40W BK	22	9019	12	9019	6	8W BK	8208			
						14	16W BK	C001			
						2	38W BK	7020			
						7	16W GY	IC02B			
4310	6W BK	1	430	13	430	7	16W GY	IC02B			
4310	6W BK	6	431	14	431	8	16W GY	IC02B			
				15							
BCMB	15W WI	B3	6201	16	6201	4B	13W BK	IC24A			
6265	2W WI	2									
IC33	18W WI	3									
IC32	18W WI	3									
BCMB	15W WI	B2	6211	17	6211	1B	13W BK	IC24A			
6265	2W WI	1									
IC33	18W WI	5									
IC32	18W WI	5									
IC22B	16W GY	4									
BCMA	40W BK	12	210A	18	2103A	16	38W BK	7020			
2110	2W WI	2				2	4W WI	2100			
BCMA	40W BK	8	6252	19	6252	6B	13W BK	IC24A			
BCMA	40W BK	10	3052	20	3052	2B	13W BK	IC24A			
BCMB	15W WI	A5	3045	21	V304	3	4W BK	3010			
IC22B	16W GY	1									
IC33	18W WI	2									
IC32	18W WI	2									
3105A	1W BK	1									
IC22B	16W GY	9									
3020	4W BK	3									
IC220	8W WI	4									
						D02A					

Interconnector - DENA ECO MUX

BCMA	40W BK	16	8605	22	8605	3	4W BR	8605			
BF00C	8W BK	E3	B30	23	B30	1B	15W BK	BCMD			
BF00C	8W BK	S1	B09	24	BB0D	BB00A					
						S1	8W BK	BF001			
						S2	8W BK	BF001			
						S3	8W BK	BF001			
S4	8W BK	BF001									
S1	8W WI	BF002									
S2	8W WI	BF002									
S3	8W WI	BF002									
BF00C	8W BK	S2	B03	25	BO3	E2	8W BK	BF001			
						S4					
						S1					
S2											
S3											
BF00B	8W WI	S4				B03	25	BO3	E2	8W BK	BF001
BF00C	8W BK	S3									
BF00C	8W BK	S4									
RB00A	10W BK	B2	6217A	26	6217	3	18W WI	BCMC			
BCMA	40W BK	39	234	27	234	2A	10W BK	0002			
BCMA	40W BK	40	233	28	233	4A	10W BK	0002			
BCMA	40W BK	26	505	29	505	1B	11W GY	0005			
BCMA	40W BK	27	511	30	511	2B	11W GY	0005			
IC22B	16W GY	3	813	31	814	2B	13W GY	IC24B			
RB00B	10W WI	B5									
8120A	1W BK	1									
BCMA	40W BK	24	253	32	253	2A	10W BK	RB001			
BF00A	8W BK	E1	A243	33	A243	14	18W WI	ICN			
RB00B	8W WI	A1				6B	15W WI	FCMB			
IC23A	16W BK	1				1	2W WI	3060			
IC22B	16W GY	2				1	2W BR	3065			
RB00B	8W WI	B1				1	1W RD	8406			
BCMA	40W BK	2									
BCMB	15W WI	A1	300	34	300	1	4W BK	3010			
3020	4W BK	1	302								
BCMA	40W BK	6	8601	35	8601	1	2W BK	8611			
BF00B	8W WI	S1	B04	36	B04	E1	8W BK	BF001			
BF00B	8W WI	S2									
BF00B	8W WI	S3									

Interconnector -DENA ECO MUX

Front Door RH				IC24B 13W GY	Front (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
				1A				
6415	10W BK	5	E814	2A	E814	2	4W BK	3010
6005	6W BK	6				2	2W WI	3060
6205	3W BK	2				2	2W BR	3065
3001	2W GY	2				E020		
6415	10W BK	2	641	3A	641	14	16W BK	IC22A
6415	10W BK	3	6411	5A	6411	4	16W BK	IC22A
6415	10W BK	1	6412	6A	6412	7	16W BK	IC22A
				7A				
6415	10W BK	8	2344	1B	2344	10	36W BK	IC23C
						6	6W BK	2615
6415	10W BK	4	814	2B	814	31	36W BK	IC23C
6415	10W BK	6	642	3B	642	10	16W BK	IC22A
6415	10W BK	7	643	4B	643	11	16W BK	IC22A
8445	2W BK	1	844	5B	844	13	16W BK	IC20A
8425	2W BK	1	844A					
8445	2W BK	2	843	6B	843	12	16W BK	IC20A
8425	2W BK	2	843A					
				7B				
Front Door RH				IC24B 13W GY	Front (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
				1A				
6415	10W BK	5	E814	2A	E814	2	4W BK	3010
6005	6W BK	6				2	2W WI	3060
6205	3W BK	2				2	2W BR	3065
3001	2W GY	2				E020		
6415	10W BK	2	641	3A	641	14	16W BK	IC22A
6415	10W BK	3	6411	5A	6411	4	16W BK	IC22A
6415	10W BK	1	6412	6A	6412	7	16W BK	IC22A
				7A				
6415	10W BK	8	2344	1B	2344	10	36W BK	IC23C
						6	6W BK	2615
6415	10W BK	4	814	2B	814	31	36W BK	IC23C
6415	10W BK	6	642	3B	642	10	16W BK	IC22A
6415	10W BK	7	643	4B	643	11	16W BK	IC22A
8445	2W BK	1	844	5B	844	13	16W BK	IC20A
8425	2W BK	1	844A					
8445	2W BK	2	843	6B	843	12	16W BK	IC20A
8425	2W BK	2	843A					
				7B	720	10	18W WI	BCMC

Interconnector -DENA ECO MUX

Front Door RH				IC24A 13W BK	Front (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
6005	6W BK	1	6062	1A	6062	2A	15W BK	BCMD
6005	6W BK	2	6072	2A	6072	4A	15W BK	BCMD
6105	6W BK	5	V27D	3A	V27D	8	36W BK	IC23C
						5	6W BK	2610
						5	6W BK	2615
						3	3W GY	6610
						3	3W GY	6615
6045	2W GY	2	6061	5A	6061	2B	15W BK	BCMD
6045	2W GY	1	6071	6A	6071	3B	15W BK	BCMD
6415	10W BK	9	722A	7A	722A	11	16W BK	IC02B
6245	2W BR	2	6211	1B	6211	17	36W BK	IC23C
3001	2W GY	1	3052	2B	3052	20	36W BK	IC23C
3045	2W WI	2	VE05	3B	VE05	1	1W	D02
6005	6W BK	3						
6005	6W BK	4						
6245	2W BR	1	6201	4B	6201	16	36W BK	IC23C
				5B				
6205	3W BK	3	6252	6B	6252	19	36W BK	IC23C
6415	10W BK	10	722B	7B	722B	12	16W BK	IC02B
Front Door RH				IC24A 13W BK	Front (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
6005	6W BK	1	6062	1A	6062	2A	15W BK	BCMD
6005	6W BK	2	6072	2A	6072	4A	15W BK	BCMD
6105	6W BK	5	V27D	3A	V27D	8	36W BK	IC23C
						5	6W BK	2610
						5	6W BK	2615
						3	3W GY	6610
						3	3W GY	6615
6045	2W GY	2	6061	5A	6061	2B	15W BK	BCMD
6045	2W GY	1	6071	6A	6071	3B	15W BK	BCMD
6415	10W BK	9	722A	7A				
6245	2W BR	2	6211	1B	6211	17	36W BK	IC23C
3001	2W GY	1	3052	2B	3052	20	36W BK	IC23C
3045	2W WI	2	VE05	3B	VE05	1	1W	D02
6005	6W BK	3						
6005	6W BK	4						
6245	2W BR	1	6201	4B	6201	16	36W BK	IC23C
				5B				
6205	3W BK	3	6252	6B	6252	19	36W BK	IC23C
6415	10W BK	10	722B	7B				

Interconnector -DENA ECO MUX

INSTRUMENT PANEL				IC20A 16W BK	Front (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
8025	40W GY	11	403	1	403	5	16W GY	IC02A
6600	3W BK	1	276	2	276	2	3W GY	6610
						2	3W GY	6615
8025	40W GY	12	832	3	832	2	6W GY	IC01A
6570	50W BU	7	6560	4	6560	12	18W WI	ICN
6570	50W BU	9	6220	5	6220	13	16W BK	C001
8410C	20W RD	7	9062	6	9062	2	18W WI	BCMC
						2A	15W BK	FCM
						6	18W WI	ICN
8410C	20W RD	8	9061	7	9061	1	18W WI	BCMC
						1A	15W BK	FCM
						7	18W WI	ICN
IC06	8W WI	3	7305	8	7305	9	18W WI	BCMC
6570	50W BU	8	6561	9	6561	11	18W WI	ICN
8410B	8W WI	5	841	10	841	12	16W BK	IC22A
8410B	8W WI	6	842	11	842	13	16W BK	IC22A
8410B	8W WI	3	843	12	843	6B	13W GY	IC24B
8410B	8W WI	4	844	13	844	5B	13W GY	IC24B
8025	40W GY	37	PW90	14	PW90	16	18W WI	ICN
8410C	20W RD	13						
IC06	8W WI	4	7304	15	7304	10	18W WI	BCMC
IC26A	13W BK	A2	8054	16	8054	12	16W GY	IC02A
INSTRUMENT PANEL				IC20A 16W BK	Front (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
8025	40W GY	11	403	1	403	14	16W BK	IC02A
6600	3W BK	1	276	2	276	2	3W GY	6610
						2	3W GY	6615
8025	40W GY	12	832	3	832	5	6W GY	IC01
6570	50W BU	7	6560	4	6560	12	18W WI	ICN
6570	50W BU	9	6220	5	6220	13	16W BK	C001
8410C	20W RD	7	9062	6	9062	2	18W WI	BCMC
						2A	15W BK	FCM
						6	18W WI	ICN
8410C	20W RD	8	9061	7	9061	1	18W WI	BCMC
						1A	15W BK	FCM
						7	18W WI	ICN
IC06	8W WI	3	7305	8	7305	2	16W BK	IC02A
6570	50W BU	8	6561	9	6561	11	18W WI	ICN
8410B	8W WI	5	841	10	841	12	16W BK	IC22A
8410B	8W WI	6	842	11	842	13	16W BK	IC22A
8410B	8W WI	3	843	12	843	6B	13W GY	IC24B
8410B	8W WI	4	844	13	844	5B	13W GY	IC24B
8025	40W GY	37	PW90	14	PW90	16	18W WI	ICN
8410C	20W RD	13						
IC06	8W WI	4	7304	15	7304	1	16W BK	IC02A
IC26A	13W BK	A2	8054	16				

Interconnector -DENA ECO MUX

Front Panel (BOSCH)				IC01A 6W GY	Front (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
2670	2W BU	1	2673	1	2673	3B	10W BK	RB001
2675	2W BU	1						
8032	2W BK	1	832	2	832	3	16W BK	IC20A
1500A	5W BK	3	B05	3	B05	E4	8W WI	BF002
1500B	5W BK	3	B06	4	B06	E3	8W WI	BF002
2520B	2W WI	1	250	5	250	3A	10W BK	RB001
2520A	2W WI	1						
				6	1628	17	38W BK	7020
Front Panel (Easy U)				IC01 6W GY	Front (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
1510A	2W BK	2	E15A	1	E15A	3B	10W WI	RB004
2675	2W BU	1	2673	2	2673	3B	10W BK	RB001
2670	2W BU	1						
1510A	2W BK	1	154	3	154	5A	10W GY	RB003
1510B	2W BK	1	155	4	155	4B	10W WI	RB004
						5B	10W GY	RB003
						9	16W BK	IC02A
8032	2W BK	1	832	5	832	3	16W BK	IC20A
2520A	2W WI	1	250	6	250	3A	10W BK	RB001
2520B	2W WI	1						
Rear				IC23A 16W BK	INSTRUMENT PANEL			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
BF00A	8W BK	E1	A241	1	A241	2	2W BR	3110
RB00B	8W WI	A1						
IC22B	16W BK	2						
IC23C	36W BK	33						
RB00B	8W WI	B1						
BCMA	40W BK	2				7	8W BK	8410A
BF00A	8W BK	E3	C221	2	C06	5	50W BU	6570
						25	40W GY	8025
BCMB	15W WI	A7	V276	3	V276	6	8W BK	8410A
IC22B	16W BK	14						
IC23C	36W BK	8						
3053	1W BK	1						
IC33	18W WI	1						
2635	6W BK	6						
2630	6W BK	6						
IC32	18W WI	1						
IC60	10W BK	2				1	8W WI	IC06
BCMA	40W BK	1	475B	4	475B	12	50W BU	6570
4730	2W WI	2	475					
BCMA	40W BK	37	623B	5	623B	21	50W BU	6570
BCMA	40W BK	35	8116	6	811	39	40W GY	8025
BCMA	40W BK	29	8038	7	8038	38	40W GY	8025
RB00B	10W WI	A3	8031	8	803	3	6W BK	8031
						1	13W BK	IC26A
BF00A	8W BK	A2	A230	9				
BCMA	40W BK	30	629	10	629	8	16W BK	8025A
BCMA	40W BK	36	622	11	622	3	16W BK	8025A
BCMA	40W BK	17	623	12	V623	1	16W BK	8025A
BCMA	40W BK	15	230	13	230	16	16W BK	8025A
BCMA	40W BK	18	230B	14	230B	14	16W BK	8025A
4400	3W BR	2	C20	15	C20	20	20W RD	8410C
BF00B	8W WI	E4	B25	16	B25	4	8W BK	8410A

Interconnector - DENA ECO MUX

Rear				IC23B 6W BK	INSTRUMENT PANEL			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
8430	2W YL	2	846	1	846	8	8W WI	8410B
8430	2W YL	1	845	2	845	7	8W WI	8410B
8435	2W YL	2	847	3	847	1	8W WI	8410B
8435	2W YL	1	848	4	848	2	8W WI	8410B
				5				
				6				
Rear				IC33 18W WI	Rear Door RH			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
BCMB	15W WI	A7	V05	1	V273	5	6W BK	6105
IC22B	16W BK	14						
IC23C	36W BK	8						
3053	1W BK	1						
IC23A	16W BK	3						
2635	6W BK	6						
2630	6W BK	6						
IC32	18W WI	1						
IC60	10W BK	2	3047	2	304	2	2W WI	3047
BCMB	15W WI	A5						
IC22B	16W GY	1						
IC22B	16W BK	9						
IC32	18W WI	2						
3105A	1W BK	1						
IC23C	36W BK	21						
3020	4W BK	3						
IC220	8W WI	4	S066	3	6203	1	2W BR	6255
BCMB	15W WI	B3						
6265	2W WI	2						
IC23C	36W BK	16						
IC32	18W WI	3		4				
BCMB	15W WI	B2	6214	5	6213	2	2W BR	6255
6265	2W WI	1						
IC22B	16W BK	4						
IC32	18W WI	5						
IC23C	36W BK	17	E61B	6	E61	6	6W BK	6105
E027								
4400	3W BR	3						
6302	2W RD	2						
6303	2W RD	2						
BCMA	40W BK	4				2	2W BK	3003
4310	6W BK	4						
4730	2W WI	1						
8100	3W BK	3						
IC22B	16W BK	15						
IC33	18W WI	6		7				
RB00D	10W WI	A3	618	8	616	1	2W GY	6135
RB00D	10W WI	B3	619	9	617	2	2W GY	6135
				10				
RB00D	10W WI	B1	6161	11	6121	2	6W BK	6105
RB00D	10W WI	A1	6171	12	6131	1	6W BK	6105
IC22B	16W BK	6	610B	13	6152	3	6W BK	6105
					6141	4	6W BK	6105
				14				
				15				
BCMA	40W BK	19	3081	16	3071	1	2W WI	3047
				17				
				18				

Interconnector -DENA ECO MUX

Rear			IC32 18W WI		Rear Door LH			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
BCMB	15W WI	A7	V06	1	V273	5	6W BK	6100
IC22B	16W BK	14						
IC23C	36W BK	8						
3053	1W BK	1						
IC23A	16W BK	3						
2635	6W BK	6						
2630	6W BK	6						
IC33	18W WI	1						
IC60	10W BK	2						
BCMB	15W WI	A5						
IC22B	16W GY	1						
IC22B	16W BK	9						
IC33	18W WI	2						
3105A	1W BK	1						
IC23C	36W BK	21						
3020	4W BK	3						
IC220	8W WI	4						
BCMB	15W WI	B3	6203	3	6203	1	2W BR	6250
6265	2W WI	2						
IC23C	36W BK	16						
IC32	18W WI	3						
				4				
BCMB	15W WI	B2	6213	5	6213	2	2W BR	6250
6265	2W WI	1						
IC22B	16W BK	4						
IC33	18W WI	5						
IC23C	36W BK	17						
			E61A	6	E61	6	6W BK	6100
E027								
4400	3W BR	3						
6302	2W RD	2						
6303	2W RD	2						
BCMA	40W BK	4						
4310	6W BK	4						
4730	2W WI	1						
8100	3W BK	3						
IC22B	16W BK	15						
IC33	18W WI	6						
				7				
RB00C	10W GY	B3	614	8	616	1	2W GY	6130
RB00C	10W GY	A3	615	9	617	2	2W GY	6130
				10				
RB00C	10W GY	B1	6121	11	6121	2	6W BK	6100
RB00C	10W GY	A1	6131	12	6131	1	6W BK	6100
IC22B	16W BK	6	610A	13	6152	3	6W BK	6100
					6141	4	6W BK	6100
				14				
				15				
BCMA	40W BK	20	3071	16	3071	1	2W WI	3042
				17				
				18				

Interconnector -DENA ECO MUX

Rear				IC220 8W WI	Rear Bumper			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
IC60	10W BK	3	E754	1	E223	8	8W WI	IC220
3020	4W BK	2				4	4W BK	7510
3100	2W BR	2				4	4W BK	7511
2110	2W WI	1				4	4W BK	7512
E026G						1	2W BR	2011
2630	6W BK	3						
6450	4W WI	B2						
6451B	1W	1						
BCMB	15W WI	A4	220D	2				
2630	6W BK	5						
2635	6W BK	5						
6450	4W WI	B1						
BCMA	40W BK	32	L754	3	L40S	1	4W BK	7510
BCMB	15W WI	A5	VE745	4	VEC1	2	4W BK	7510
IC22B	16W GY	1				2	4W BK	7511
IC22B	16W BK	9				2	4W BK	7512
IC33	18W WI	2						
3105A	1W BK	1						
IC23C	36W BK	21						
3020	4W BK	3						
IC32	18W WI	2						
				5				
BCMB	15W WI	A6	202	6	202	2	2W BR	2011
				7				
BCMA	40W BK	11	E221	8	E223A	1	8W WI	IC220
						4	4W BK	7510
						4	4W BK	7511
						4	4W BK	7512
						1	2W BR	2011
Rear				IC60 10W BK	Trunk			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
RB00A	10W BK	3A	6291	1	6291	1	2W BR	6260
BCMB	15W WI	A7	V094	2	V094	2	2W BK	2636
IC22B	16W BK	14						
IC23C	36W BK	8						
3053	1W BK	1						
IC23A	16W BK	3						
2635	6W BK	6						
2630	6W BK	6						
IC32	18W WI	1						
IC33	18W WI	1						
IC220	8W WI	1	E26C					
3020	4W BK	2		2	2W BR	6260		
3100	2W BR	2		1	1W	6451A		
2110	2W WI	1						
E026G								
2630	6W BK	3						
6450	4W WI	B2						
6451B	1W	1						
				4				
				5				
6450	4W WI	B4	E6450	6	E6450	C3	4W WI	6451
6450	4W WI	B3	6457	7	6457	C4	4W WI	6451
				8				
IC23E	8W BU	7	6453	9	6553	C1	4W WI	6451

Interconnector -DENA ECO MUX

Rear				IC23E 8W BU	INSTRUMENT PANEL			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
6575	2W YL	1	650	1	650	13	50W BU	6570
6575	2W YL	2	651	2	651	14	50W BU	6570
6576	2W YL	1	652	3	652	16	50W BU	6570
6576	2W YL	2	653	4	653	17	50W BU	6570
				5				
				6				
IC60	10W BK	9	6453	7	6453	18	20W RD	8410C
IC60	10W BK	10	6454	8	6454	19	20W RD	8410C
Front				IC22A 16W BK	Front Door LH			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
BCMD	15W BK	4B	6011	1	6011	1	2W GY	6040
BCMD	15W BK	3A	6050	2	6050	7	18W BK	6000A
BCMD	15W BK	1A	6040	3	6040	6	18W BK	6000A
IC24B	13W GY	5A	6411	4	6411	5	6W BK	6000B
BCMD	15W BK	2A	6060	5	6060	5	18W BK	6000A
BCMD	15W BK	4A	6070	6	6070	4	18W BK	6000A
IC24B	13W GY	6A	6412	7	6412	1	6W BK	6000B
				8				
BCMD	15W BK	5B	6412 6021	9	6021	2	2W GY	6040
IC24B	13W GY	3B	642	10	642 6421	6 17	10W BK 18W BK	6410 6000A
IC24B	13W GY	4B	643	11	643 6431	7 16	10W BK 18W BK	6410 6000A
IC20A	16W BK	10	841	12	841 8411	2 2	2W BK 3W BK	8420 8440
IC20A	16W BK	11	842	13	842 8421	1 1	2W BK 3W BK	8420 8440
IC24B	13W GY	3A	641	14	641	2	10W BK	6410
BCMC	18W WI	4	6407	15	6407	14	18W BK	6000A
BCMC	18W WI	8	6408	16	6408	15	18W BK	6000A

Interconnector -DENA ECO MUX

Rear				IC22B 16W GY	Front Door LH						
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part			
BCMB	15W WI	A5	3040	1	3040	2	2W WI	3040			
IC22B	16W GY	9									
IC33	18W WI	2									
IC32	18W WI	2									
3105A	1W BK	1									
IC23C	36W BK	21									
3020	4W BK	3									
IC220	8W WI	4									
BF00A	8W BK	E1	A050	2	A604	18	18W BK	6000A			
RB00B	8W WI	A1									
IC23A	16W BK	1									
IC23C	36W BK	33									
RB00B	8W WI	B1									
BCMA	40W BK	2	813	3	813	4	10W BK	6410			
IC23C	36W BK	31									
RB00B	10W WI	B5									
8120A	1W BK	1									
BCMB	15W WI	B2	6212	4	621B	2	2W BR	6240			
6265	2W WI	1									
IC33	18W WI	5									
IC32	18W WI	5									
IC23C	36W BK	17									
BCMA	40W BK	9	3051	5	3051	1	2W GY	3000			
IC33	18W WI	13	610B	6	610	10	18W BK	6000A			
IC32	18W WI	13	610A								
RB00C	10W GY	B1	618	7	618	9	18W BK	6000A			
RB00C	10W GY	A1	617	8	617	8	18W BK	6000A			
BCMB	15W WI	A5	V614	9	VE61	1	18W BK	6000A			
IC22B	16W GY	1									
IC33	18W WI	2									
IC32	18W WI	2									
3105A	1W BK	1									
IC23C	36W BK	21									
3020	4W BK	3									
IC220	8W WI	4									
RB00D	10W WI	B1	616	10	616	2	18W BK	6000A			
RB00D	10W WI	A1	615	11	615	3	18W BK	6000A			
RB00A	10W BK	B3	6202	12	620B	1	2W BR	6240			
BCMA	40W BK	7	6251	13	6251	3	3W WI	6200			
BCMB	15W WI	A7	V278	14	V27C	12	18W BK	6000A			
IC23A	16W BK	3									
IC23C	36W BK	8									
3053	1W BK	1									
IC33	18W WI	1									
2635	6W BK	6									
2630	6W BK	6									
IC32	18W WI	1									
IC60	10W BK	2									
E027			E050	15	EPC	5	10W BK	6410			
4400	3W BR	3									
6302	2W RD	2									
6303	2W RD	2									
BCMA	40W BK	4				2334	16	2334	8	10W BK	6410
4310	6W BK	4									
4730	2W WI	1									
8100	3W BK	3									
IC32	18W WI	6	E050	15	EPC	3	6W BK	6000B			
IC33	18W WI	6									
BCMB	15W WI	A8									
IC23C	36W BK	9									
2630	6W BK	1	2334	16	2334	8	10W BK	6410			

Interconnector -DENA ECO MUX

INSTRUMENT PANEL				IC26A 13W BK	Air Condition			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
8031	6W BK	3	803A	1A	8032	1	5W	8048A
						1	5W	8046
IC23A	16W BK	8				3	5W	8046
						5	5W	8048A
						1	5W	8048B
IC20A	16W BK	16	8054	2A	8054	5	5W	8046
8025	40W GY	33	8048	3A	8048	4	7W BK	8065
8025	40W GY	9	8049	5A	8049	5	7W BK	8065
E020A			E805	6A	E805	3	5W	8048B
6451C	1W BK	1						
8410A	8W BK	8						
8025A	16W BK	13						
3115	2W BR	2						
8025A	16W BK	2			E804	2	5W	8048A
6600	3W BK	3						
8025A	16W BK	15						
8031	6W BK	2						
8025	40W GY	24						
8025	40W GY	36	E804	1	3W BK	8045		
8033	2W BK	2						
8031	6W BK	6						
8025	40W GY	34	E804	7A	E803	2	2W BK	8006
8025	40W GY	1						
8025	40W GY	21	8041	2B	8041	2	7W BK	8040
8025	40W GY	32	8042	3B	8042	4	7W BK	8040
8025	40W GY	8	8043	4B	8043	5	7W BK	8040
8025	40W GY	29	8044	5B	8044	6	7W BK	8040
						6	7W BK	8065
8025	40W GY	28	8045	6B	8045	7	7W BK	8040
						7	7W BK	8065
				7B				
INSTRUMENT PANEL				IC26B 13W GY	Air Condition			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
8025	40W GY	2	8026	1A	8026	5	7W BK	8067
8025	40W GY	22	8027	2A	8027	4	7W BK	8067
8025	40W GY	23	8028	3A	8028	2	7W BK	8067
8025	40W GY	3	8046	5A	8046	2	7W BK	8065
8025	40W GY	4	8047	6A	8047	1	7W BK	8065
				7A				
				1B	8038	2	5W	8046
8025	40W GY	7	8039	2B	8039	2	5W	8048B
8025	40W GY	13	8021	3B	8021	1	2W BK	8006
8025	40W GY	15	8022	4B	8022	3	5W	8048A
						1	2W	8050
8025	40W GY	16	8023	5B	8023	3	3W BK	8045
						2	2W	8050
8025	40W GY	17	8024	6B	8024	2	3W BK	8045
						5	5W	8048B
				7B				

Interconnector -DENA ECO MUX

INSTRUMENT PANEL				IC05 12W WI	Option (With camera)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
8410C	20W RD	1	C1	A	LH Line			
				B				
				C				
8410C	20W RD	2	C2	D	RH Line			
8410C	20W RD	3	C3	E	GND Line			
				F				
8410C	20W RD	4	C4	H	Video Out			
				J				
8410C	20W RD	5	C5	K	GND			
8410C	20W RD	9	C9	L	Subwoofer GND			
				M				
8410C	20W RD	6	C6	N	Subwoofer Out			
INSTRUMENT PANEL				IC06 8W WI	Steering Wheel			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
IC23A	16W BK	3	V19R	1	V150	5	6W	7300
6600	3W BK	2						
8025	40W GY	35						
8410A	8W BK	6						
				2				
IC20A	16W BK	8	7305	3	7305	2	6W	7300
IC20A	16W BK	15	7304	4	7304	1	6W	7300
				5				
				6				
8410C	20W RD	11	C11	7	C11	1	4W	84C2
8410C	20W RD	12	C12	8	C12	2	4W	84C2
Coil				IC024 6W BK	Engine (BOSCH)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
1131	3W BK	1	1131	1	1131	H2	32W GY	1320C
1133	3W BK	1	1133	2	1132	G2	32W GY	1320C
1131	3W BK	3	E44	3	E44	2	2W WI	8020
1132	3W BK	3				E040		
1133	3W BK	3				1	2W GY	2200
1134	3W BK	3				1	2W GY	4030
1131	3W BK	2	1220	4	1127	A5	10W BK	1304
						2	2W BU	7113
						3	6W BK	1350
						1	4W GN	1351
1132	3W BK	2				M2	48W BK	1320A
1133	3W BK	2				1	2W BK	1243
						1	2W BK	1215
1134	3W BK	2				3	3W BK	1115
			3	6W GY	IC023			
			1	6W BK	IC01B			
1132	3W BK	1	1132	5	1132	H3	32W GY	1320C
1134	3W BK	1	1134	6	1134	H1	32W GY	1320C

Interconnector -DENA ECO MUX

Coil				IC024 6W BK	Engine (Easy U)			
Part	Connector	Pin Num	Wire Num	Interconnector Pin Num	Wire Num	Pin Num	Connector	Part
1131	3W BK	1	1131	1	1131	H4	32W BK	1320A
1133	3W BK	1	1133	2	1133	H1	32W BK	1320A
1131	3W BK	3	E44	3	E44	E040		
1132	3W BK	3				2	2W WI	8020
						2	2W BU	7113
						P1	64W BK	1320B
						P2	64W BK	1320B
						G4	32W BK	1320A
1134	3W BK	3	1	2W GY	2200			
1134	3W BK	3	1	2W GY	4030			
1131	3W BK	2	1220	4	1220	A5	10W BK	1304
1132	3W BK	2				3	4W GY	1350A
						3	4W GY	1350B
						1	2W BK	1243
						2	2W BR	1215
						3	3W BK	1115
1133	3W BK	2	3	6W GY	IC023			
1132	3W BK	1	1132	5	1132	H2	32W BK	1320A
1134	3W BK	1	1134	6	1134	H3	32W BK	1320A